

1. Jin J, Arias EE, Chen J, Harper JW, Walter JC. A family of diverse Cul4-Ddb1-interacting proteins includes Cdt2, which is required for S phase destruction of the replication factor Cdt1. *Molecular cell*. 2006;23(5):709-21.
2. He YJ, McCall CM, Hu J, Zeng Y, Xiong Y. DDB1 functions as a linker to recruit receptor WD40 proteins to CUL4-ROC1 ubiquitin ligases. *Genes & development*. 2006;20(21):2949-54.
3. Angers S, Li T, Yi X, MacCoss MJ, Moon RT, Zheng N. Molecular architecture and assembly of the DDB1-CUL4A ubiquitin ligase machinery. *Nature*. 2006;443(7111):590-3.
4. Higa LA, Wu M, Ye T, Kobayashi R, Sun H, Zhang H. CUL4-DDB1 ubiquitin ligase interacts with multiple WD40-repeat proteins and regulates histone methylation. *Nat Cell Biol*. 2006;8(11):1277-83.
5. Hein MY, Hubner NC, Poser I, Cox J, Nagaraj N, Toyoda Y, et al. A human interactome in three quantitative dimensions organized by stoichiometries and abundances. *Cell*. 2015;163(3):712-23.
6. Komander D, Rape M. The ubiquitin code. *Annual review of biochemistry*. 2012;81:203-29.
7. Hershko A, Ciechanover A. The ubiquitin system for protein degradation. *Annual review of biochemistry*. 1992;61:761-807.
8. Glickman MH, Ciechanover A. The ubiquitin-proteasome proteolytic pathway: destruction for the sake of construction. *Physiological reviews*. 2002;82(2):373-428.
9. Lasker K, Forster F, Bohn S, Walzthoeni T, Villa E, Unverdorben P, et al. Molecular architecture of the 26S proteasome holocomplex determined by an integrative approach. *Proceedings of the National Academy of Sciences of the United States of America*. 2012;109(5):1380-7.
10. Lander GC, Estrin E, Matyskiela ME, Bashore C, Nogales E, Martin A. Complete subunit architecture of the proteasome regulatory particle. *Nature*. 2012;482(7384):186-91.
11. Finley D. Recognition and processing of ubiquitin-protein conjugates by the proteasome. *Annual review of biochemistry*. 2009;78:477-513.
12. Kravtsova-Ivantsiv Y, Sommer T, Ciechanover A. The lysine48-based polyubiquitin chain proteasomal signal: not a single child anymore. *Angewandte Chemie*. 2013;52(1):192-8.
13. Baumeister W, Walz J, Zuhl F, Seemuller E. The proteasome: paradigm of a self-compartmentalizing protease. *Cell*. 1998;92(3):367-80.
14. Klotzel PM. Antigen processing by the proteasome. *Nature reviews Molecular cell biology*. 2001;2(3):179-87.
15. Teixeira LK, Reed SI. Ubiquitin ligases and cell cycle control. *Annual review of biochemistry*. 2013;82:387-414.
16. Muratani M, Tansey WP. How the ubiquitin-proteasome system controls transcription. *Nature reviews Molecular cell biology*. 2003;4(3):192-201.
17. Buchberger A, Bukau B, Sommer T. Protein quality control in the cytosol and the endoplasmic reticulum: brothers in arms. *Molecular cell*. 2010;40(2):238-52.
18. Berndsen CE, Wolberger C. New insights into ubiquitin E3 ligase mechanism. *Nature structural & molecular biology*. 2014;21(4):301-7.
19. Li W, Bengtson MH, Ulbrich A, Matsuda A, Reddy VA, Orth A, et al. Genome-wide and functional annotation of human E3 ubiquitin ligases identifies MULAN, a mitochondrial E3 that regulates the organelle's dynamics and signaling. *PLoS one*. 2008;3(1):e1487.
20. Varshavsky A. Naming a targeting signal. *Cell*. 1991;64(1):13-5.
21. Deshaies RJ, Joazeiro CA. RING domain E3 ubiquitin ligases. *Annual review of biochemistry*. 2009;78:399-434.
22. Zheng N, Schulman BA, Song L, Miller JJ, Jeffrey PD, Wang P, et al. Structure of the Cul1-Rbx1-Skp1-F box-Skp2 SCF ubiquitin ligase complex. *Nature*. 2002;416(6882):703-9.
23. Sarikas A, Hartmann T, Pan ZQ. The cullin protein family. *Genome biology*. 2011;12(4):220.
24. Zimmerman ES, Schulman BA, Zheng N. Structural assembly of cullin-RING ubiquitin ligase complexes. *Current opinion in structural biology*. 2010;20(6):714-21.
25. Jackson S, Xiong Y. CRL4s: the CUL4-RING E3 ubiquitin ligases. *Trends in biochemical sciences*. 2009;34(11):562-70.
26. Li T, Chen X, Garbutt KC, Zhou P, Zheng N. Structure of DDB1 in complex with a paramyxovirus V protein: viral hijack of a propeller cluster in ubiquitin ligase. *Cell*. 2006;124(1):105-17.
27. Fischer ES, Scrima A, Bohm K, Matsumoto S, Lingaraju GM, Faty M, et al. The molecular basis of CRL4DDB2/CSA ubiquitin ligase architecture, targeting, and activation. *Cell*. 2011;147(5):1024-39.
28. Li T, Robert EI, van Breugel PC, Strubin M, Zheng N. A promiscuous alpha-helical motif anchors viral hijackers and substrate receptors to the CUL4-DDB1 ubiquitin ligase machinery. *Nature structural & molecular biology*. 2010;17(1):105-11.
29. Fischer ES, Bohm K, Lydeard JR, Yang H, Stadler MB, Cavadini S, et al. Structure of the DDB1-CRBN E3 ubiquitin ligase in complex with thalidomide. *Nature*. 2014;512(7512):49-53.
30. Petzold G, Fischer ES, Thoma NH. Structural basis of lenalidomide-induced CK1alpha degradation by the CRL4(CRBN) ubiquitin ligase. *Nature*. 2016;532(7597):127-30.

31. Lee J, Zhou P. DCAFs, the missing link of the CUL4-DDB1 ubiquitin ligase. *Molecular cell*. 2007;26(6):775-80.
32. Scrima A, Konickova R, Czyzewski BK, Kawasaki Y, Jeffrey PD, Groisman R, et al. Structural basis of UV DNA-damage recognition by the DDB1-DDB2 complex. *Cell*. 2008;135(7):1213-23.
33. Scrima A, Fischer ES, Lingaraju GM, Bohm K, Cavadini S, Thoma NH. Detecting UV-lesions in the genome: The modular CRL4 ubiquitin ligase does it best! *FEBS letters*. 2011;585(18):2818-25.
34. McCall CM, Miliiani de Marval PL, Chastain PD, 2nd, Jackson SC, He YJ, Kotake Y, et al. Human immunodeficiency virus type 1 Vpr-binding protein VprBP, a WD40 protein associated with the DDB1-CUL4 E3 ubiquitin ligase, is essential for DNA replication and embryonic development. *Molecular and cellular biology*. 2008;28(18):5621-33.
35. Kaur M, Khan MM, Kar A, Sharma A, Saxena S. CRL4-DDB1-VPRBP ubiquitin ligase mediates the stress triggered proteolysis of Mcm10. *Nucleic acids research*. 2012;40(15):7332-46.
36. Lee JM, Lee JS, Kim H, Kim K, Park H, Kim JY, et al. EZH2 generates a methyl degron that is recognized by the DCAF1/DDB1/CUL4 E3 ubiquitin ligase complex. *Molecular cell*. 2012;48(4):572-86.
37. Kim K, Kim JM, Kim JS, Choi J, Lee YS, Neamati N, et al. VprBP has intrinsic kinase activity targeting histone H2A and represses gene transcription. *Molecular cell*. 2013;52(3):459-67.
38. Nakagawa T, Lv L, Nakagawa M, Yu Y, Yu C, D'Alessio AC, et al. CRL4(VprBP) E3 ligase promotes monoubiquitylation and chromatin binding of TET dioxygenases. *Molecular cell*. 2015;57(2):247-60.
39. Wen X, Casey Klockow L, Nekorchuk M, Sharifi HJ, de Noronha CM. The HIV1 protein Vpr acts to enhance constitutive DCAF1-dependent UNG2 turnover. *PLoS one*. 2012;7(1):e30939.
40. Havens CG, Walter JC. Mechanism of CRL4(Cdt2), a PCNA-dependent E3 ubiquitin ligase. *Genes & development*. 2011;25(15):1568-82.
41. Han C, Wani G, Zhao R, Qian J, Sharma N, He J, et al. Cdt2-mediated XPG degradation promotes gap-filling DNA synthesis in nucleotide excision repair. *Cell cycle*. 2015;14(7):1103-15.
42. Huh J, Piwnicka-Worms H. CRL4(CDT2) targets CHK1 for PCNA-independent destruction. *Molecular and cellular biology*. 2013;33(2):213-26.
43. Havens CG, Walter JC. Docking of a specialized PIP Box onto chromatin-bound PCNA creates a degron for the ubiquitin ligase CRL4Cdt2. *Molecular cell*. 2009;35(1):93-104.
44. Antonioli M, Albiero F, Nazio F, Vescovo T, Perdomo AB, Corazzari M, et al. AMBRA1 interplay with cullin E3 ubiquitin ligases regulates autophagy dynamics. *Dev Cell*. 2014;31(6):734-46.
45. Cianfanelli V, Fuoco C, Lorente M, Salazar M, Quondamatteo F, Gherardini PF, et al. AMBRA1 links autophagy to cell proliferation and tumorigenesis by promoting c-Myc dephosphorylation and degradation. *Nat Cell Biol*. 2015;17(1):20-30.
46. Cianfanelli V, D'Orazio M, Cecconi F. AMBRA1 and BECLIN 1 interplay in the crosstalk between autophagy and cell proliferation. *Cell cycle*. 2015;14(7):959-63.
47. Ritterhoff S, Farah CM, Grabitzki J, Lochnit G, Skurat AV, Schmitz ML. The WD40-repeat protein Han11 functions as a scaffold protein to control HIPK2 and MEKK1 kinase functions. *The EMBO journal*. 2010;29(22):3750-61.
48. Miyata Y, Nishida E. DYRK1A binds to an evolutionarily conserved WD40-repeat protein WDR68 and induces its nuclear translocation. *Biochim Biophys Acta*. 2011;1813(10):1728-39.
49. Glenewinkel F, Cohen MJ, King CR, Kaspar S, Bamberg-Lemper S, Mymryk JS, et al. The adaptor protein DCAF7 mediates the interaction of the adenovirus E1A oncoprotein with the protein kinases DYRK1A and HIPK2. *Scientific reports*. 2016;6:28241.
50. Peng Z, Liao Z, Matsumoto Y, Yang A, Tomkinson AE. Human DNA Ligase I Interacts with and is Targeted for Degradation by the DCAF7 Specificity Factor of the CUL4-DDB1 Ubiquitin Ligase Complex. *The Journal of biological chemistry*. 2016.
51. Wu Y, Zhou L, Wang X, Lu J, Zhang R, Liang X, et al. A genome-scale CRISPR-Cas9 screening method for protein stability reveals novel regulators of Cdc25A. *Cell Discov*. 2016;2:16014.
52. Klein CJ, Wu Y, Vogel P, Goebel HH, Bonnemann C, Zukosky K, et al. Ubiquitin ligase defect by DCAF8 mutation causes HMSN2 with giant axons. *Neurology*. 2014;82(10):873-8.
53. Suh JM, Zeve D, McKay R, Seo J, Salo Z, Li R, et al. Adipose is a conserved dosage-sensitive antiobesity gene. *Cell Metab*. 2007;6(3):195-207.
54. Galgani JE, Kelley DE, Albu JB, Krakoff J, Smith SR, Bray GA, et al. Adipose tissue expression of adipose (WDT1) gene is associated with lower fat mass and enhanced insulin sensitivity in humans. *Obesity (Silver Spring)*. 2013;21(11):2244-8.
55. Groh BS, Yan F, Smith MD, Yu Y, Chen X, Xiong Y. The antiobesity factor WDT1 suppresses adipogenesis via the CRL4WDT1 E3 ligase. *EMBO Rep*. 2016;17(5):638-47.
56. Djakbarova U, Marzluff WF, Koseoglu MM. DDB1 and CUL4 associated factor 11 (DCAF11) mediates degradation of Stem-loop binding protein at the end of S phase. *Cell cycle*. 2016;15(15):1986-96.

57. Brodersen MM, Lampert F, Barnes CA, Soste M, Piwko W, Peter M. CRL4(WDR23)-Mediated SLBP Ubiquitylation Ensures Histone Supply during DNA Replication. *Molecular cell*. 2016;62(4):627-35.
58. Choe KP, Przybysz AJ, Strange K. The WD40 repeat protein WDR-23 functions with the CUL4/DDB1 ubiquitin ligase to regulate nuclear abundance and activity of SKN-1 in *Caenorhabditis elegans*. *Molecular and cellular biology*. 2009;29(10):2704-15.
59. Daugherty MD, Malik HS. Rules of engagement: molecular insights from host-virus arms races. *Annual review of genetics*. 2012;46:677-700.
60. Strebel K. HIV accessory proteins versus host restriction factors. *Current opinion in virology*. 2013;3(6):692-9.
61. Barry M, Fruh K. Viral modulators of cullin RING ubiquitin ligases: culling the host defense. *Science's STKE : signal transduction knowledge environment*. 2006;2006(335):pe21.
62. Sheehy AM, Gaddis NC, Choi JD, Malim MH. Isolation of a human gene that inhibits HIV-1 infection and is suppressed by the viral Vif protein. *Nature*. 2002;418(6898):646-50.
63. Guo Y, Dong L, Qiu X, Wang Y, Zhang B, Liu H, et al. Structural basis for hijacking CBF-beta and CUL5 E3 ligase complex by HIV-1 Vif. *Nature*. 2014;505(7482):229-33.
64. Neil SJ, Zang T, Bieniasz PD. Tetherin inhibits retrovirus release and is antagonized by HIV-1 Vpu. *Nature*. 2008;451(7177):425-30.
65. Mitchell RS, Katsura C, Skasko MA, Fitzpatrick K, Lau D, Ruiz A, et al. Vpu antagonizes BST-2-mediated restriction of HIV-1 release via beta-TrCP and endo-lysosomal trafficking. *PLoS pathogens*. 2009;5(5):e1000450.
66. Laguette N, Sobhian B, Casartelli N, Ringeard M, Chable-Bessia C, Segéral E, et al. SAMHD1 is the dendritic- and myeloid-cell-specific HIV-1 restriction factor counteracted by Vpx. *Nature*. 2011;474(7353):654-7.
67. Hrecka K, Hao C, Gierszewska M, Swanson SK, Kesik-Brodacka M, Srivastava S, et al. Vpx relieves inhibition of HIV-1 infection of macrophages mediated by the SAMHD1 protein. *Nature*. 2011;474(7353):658-61.
68. Schwefel D, Groom HC, Boucherit VC, Christodoulou E, Walker PA, Stoye JP, et al. Structural basis of lentiviral subversion of a cellular protein degradation pathway. *Nature*. 2014;505(7482):234-8.
69. Schwefel D, Boucherit VC, Christodoulou E, Walker PA, Stoye JP, Bishop KN, et al. Molecular Determinants for Recognition of Divergent SAMHD1 Proteins by the Lentiviral Accessory Protein Vpx. *Cell host & microbe*. 2015;17(4):489-99.
70. Hatziioannou T, Del Prete GQ, Keele BF, Estes JD, McNatt MW, Bitzegeio J, et al. HIV-1-induced AIDS in monkeys. *Science*. 2014;344(6190):1401-5.
71. Sharp PM, Hahn BH. Origins of HIV and the AIDS pandemic. *Cold Spring Harbor perspectives in medicine*. 2011;1(1):a006841.
72. Romani B, Cohen EA. Lentivirus Vpr and Vpx accessory proteins usurp the cullin4-DDB1 (DCAF1) E3 ubiquitin ligase. *Current opinion in virology*. 2012;2(6):755-63.
73. Wu Y, Zhou X, Barnes CO, DeLucia M, Cohen AE, Gronenborn AM, et al. The DDB1-DCAF1-Vpr-UNG2 crystal structure reveals how HIV-1 Vpr steers human UNG2 toward destruction. *Nature structural & molecular biology*. 2016;23(10):933-40.
74. Hrecka K, Hao C, Shun MC, Kaur S, Swanson SK, Florens L, et al. HIV-1 and HIV-2 exhibit divergent interactions with HLTF and UNG2 DNA repair proteins. *Proceedings of the National Academy of Sciences of the United States of America*. 2016;113(27):E3921-30.
75. Lahouassa H, Blondot ML, Chauveau L, Chougui G, Morel M, Leduc M, et al. HIV-1 Vpr degrades the HLTF DNA translocase in T cells and macrophages. *Proceedings of the National Academy of Sciences of the United States of America*. 2016;113(19):5311-6.
76. Ahn J, Vu T, Novince Z, Guerrero-Santoro J, Raptic-Otrin V, Gronenborn AM. HIV-1 Vpr loads uracil DNA glycosylase-2 onto DCAF1, a substrate recognition subunit of a cullin 4A-ring E3 ubiquitin ligase for proteasome-dependent degradation. *The Journal of biological chemistry*. 2010;285(48):37333-41.
77. Kim Y, Spitz GS, Veturi U, Lach FP, Auerbach AD, Smogorzewska A. Regulation of multiple DNA repair pathways by the Fanconi anemia protein SLX4. *Blood*. 2013;121(1):54-63.
78. Laguette N, Bregnard C, Hue P, Basbous J, Yatim A, Larroque M, et al. Premature activation of the SLX4 complex by Vpr promotes G2/M arrest and escape from innate immune sensing. *Cell*. 2014;156(1-2):134-45.
79. Berger G, Lawrence M, Hue S, Neil SJ. G2/M cell cycle arrest correlates with primate lentiviral Vpr interaction with the SLX4 complex. *Journal of virology*. 2014.
80. Zhou X, DeLucia M, Ahn J. SLX4-SLX1 Protein-independent Down-regulation of MUS81-EME1 Protein by HIV-1 Viral Protein R (Vpr). *The Journal of biological chemistry*. 2016;291(33):16936-47.

81. Lim ES, Fregoso OI, McCoy CO, Matsen FA, Malik HS, Emerman M. The ability of primate lentiviruses to degrade the monocyte restriction factor SAMHD1 preceded the birth of the viral accessory protein Vpx. *Cell host & microbe*. 2012;11(2):194-204.
82. Fregoso OI, Ahn J, Wang C, Mehrens J, Skowronski J, Emerman M. Evolutionary toggling of Vpx/Vpr specificity results in divergent recognition of the restriction factor SAMHD1. *PLoS pathogens*. 2013;9(7):e1003496.